


## RE-PLAY NATURE WHITE NECK LABEL WS FSC™ / AP1300 / WG74

PRODUCT DESCRIPTION / BENEFITS

**Face :** Paper 100% recycled from post consumer and post Industrial waste collection with up to 15% of wine label glassine content recovered from end users. Natural paper with WS treatment, FSC certified. Due to the nature of the raw material used, there may be the small impurities and/or slight variations in tone and appearance which are normal in a recycled product.

**Adhesive :** Acrylic permanent adhesive featuring good clarity and water resistance

**Liner :** White supercalendered glassine paper. There may be slight variations in tone.



TYPICAL USE

Wine, Spirits & Craft Beer

PRODUCT RECOMMENDATIONS

Specially designed for product labels of high added value bottled in glass (wine, licquors, oil, water,...)

Product for high quality labels for beverages, wine and Spirts. Specially developed for neck label applications and small diameter bottles. We recommend to leave an area unprinted and unvarnished in the zone were the label overlaps.

SHELF LIFE

1 year, under storage conditions as defined by FINAT section 2.5 (20-25°C, 40-50% RH). Prolonged storage at higher temperatures and/or humidity levels will shorten the shelf life of the product.

RE-PLAY NATURE WHITE NECK LABEL WS  
FSC™ / AP1300 / WG74

PHYSICAL PROPERTIES /  
TYPICAL VALUES

FACE MATERIAL		
RE-PLAY NATURE WHITE NECK LABEL WS FSC™		
Grammage	70 Gr/m2	ISO 536
Thickness	90 µm	ISO 534-80
ADHESIVE		
AP1300		
Tack (N) Glass	9 N/mm	FTM9
Min Labelling temperature	+5 °C	
Usage Temperature	-40/+80°C °C	
LINER		
WG74		
Grammage	72 Gr/m2	ISO 536
Thickness	62 µm	ISO 534-80

QUALITY  
CERTIFICATIONS &  
APPROVALS

- FSC License code: FSC-C106281

DISCLAIMER

Information on physico-chemical characteristics and values in this document are based upon tests we believe to be reliable and do not constitute a warranty. They are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material to their specific use. All technical data are subject to change. All Fedrigoni products are sold subject to terms and conditions of sale. For more information, contact your Fedrigoni sales representative. In case of any ambiguities or differences between the English and foreign versions of this document, the English version shall be prevailing and leading.